NEUROSCIENCE LETTERS

Vol. 165 Nos. 1,2 **JANUARY 3rd, 1994**

CONTENTS

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Guidelines for the Submission of Manuscripts v

Ciliary neurotrophic factor (CNTF) has a dose-dependent biphasic effect on the number of adrenergic cells which develop in avian trunk neural crest cultures
Y. Sun and G.D. Maxwell (USA) 1

The activity of synaptosomal calcium channels is inversely correlated with working memory performance in memory impaired, aged rats
P. Blanco, A. Huidobro, M. Villalba, P. Gómez-Puertas, E. Bogónez, R. Pereira, A. Martínez-Serrano, J.J. Aparicio and J. Satrústegui (Spain) 5

Effects on EMG activities of elbow joint muscles by rapid head rotation movement in horizontal plane in man
K. Watanabe, S. Fujie and R. Tanaka (Japan) 9

Hypothalamic lesions increase levels of neuropeptide Y mRNA in the arcuate nucleus of mice
J.K. Young, J.C. McKenzie, L.S. Brady and M. Herkenham (USA) 13

Cell cycle arrest and morphological differentiation can occur in the absence of apoptosis in a neuronal cell line
V. Budhram-Mahadeo, K.A. Lillycrop and D.S. Latchman (UK) 18

2,3-Diphosphoglyceric acid blocks long-term potentiation of excitatory postsynaptic currents in hippocampal CA1 neurons of the rat
T. Behnisch and K.G. Reymann (FRG) 23

β-Adrenergic regulation of the somatostatinergic system in rat hippocampus
S. López-Sañudo and E. Arilla (Spain) 27

Stimulation of gonadotropin-releasing hormone secretion by acetyl-L-carnitine in hypothalamic neurons and GT1 neuronal cells
L.Z. Krsmanovic, M.A. Virmani, S.S. Stojilkovic and K.J. Catt (USA, Italy) 33

Memantine selectively depresses NMDA receptor-mediated responses of rat spinal neurones in vivo
J.F. Herrero, P.M. Headley and C.G. Parsons (UK, Germany) 37

Preferential activation of dopamine overflow in prefrontal cortex produced by chronic clozapine treatment
K.D. Youngren, B. Moghaddam, B.S. Bunney and R.H. Roth (USA) 41

Absence of APP713 mutation in Italian and Russian families with schizophrenia
M. Mortilla, L. Amaducci, A. Bruni, M.P. Montesi, A. Trubnikov, S. De Cataldo, S. Pallanti, A. Pazzagli, L. Grecu, P. Servi, M. Zazzo and S. Sorbi (Italy, Russia) 45

Evidence for an inhibitory effect of nitric oxides on neuropeptide secretion from isolated neural lobe of the rat pituitary gland
B. Lutz-Bucher and B. Koch (France) 48

Hyponatremia inhibits sprouting of oxytocinergic axons following bilateral lesions of the paraventricular nucleus in rats
J. Dohanics, G.E. Hoffman and J.G. Verbalis (USA) 51

Specific 2-[^{125}I]iodomelatonin binding sites in the duck adrenal gland
C.S. Pang, K.F.L. Tsang, G.M. Brown and S.F. Pang (Canada, Hong Kong) 55

Autoantibodies against H- and M-subunits of neurofilaments are induced by PC12 cell grafts or lesions into different sites of rat brain
F. Dehaut, K. Haddad, G. Alhayek and A. Pouplard-Barthelaix (France) 59

Are the dopaminergic cells of the lamprey retina interplexiform cells? A dopamine, tyrosine hydroxylase and dopamine β-hydroxylase immuno-cytochemical study
J. Yáñez and R. Anadón (Spain) 63

Voltage-clamp analysis of the voltage-gated sodium current of the rat pituitary melanotroph
S.J. Kehl (Canada) 67

Nitric oxide evokes pain in humans on intracutaneous injection
H. Holthusen and J.O. Arndt (FRG) 71

Impulses in the rostral branch of primary afferents in rat dorsal columns travel faster than those in the caudal branch
P.D. Wall (USA) 75

Pre treatment with MK-801, a non-competitive NMDA antagonist, prevents development of mechanical hyperalgesia in a rat model of chronic neuropathy, but not in a model of chronic inflammation
G.D. Smith, J. Wiseman, S.M. Harrison, P.J. Elliott and P.J. Birch (UK) 79

Multiple types of tachykinin receptor mediate a slow excitation of rat spinal motoneurones in vitro
N.D. Fisher, G. Baranauskas and A. Nistri (Italy) 84

Evidence for the expression of dynorphin gene in the prolactin-immunoreactive neurons of the rat lateral hypothalamus
B. Griffond, C. Colard, A. Deray, D. Fellmann and C. Bugnon (France) 89

Changes in neuronal metabolism in hypothalamic periventricular regions following acute alteration of cerebrospinal fluid composition in conscious rats
T. Wells, M.R. Achaaban, H.K. Richards and M.L. Forsling (UK, Morocco) 93
Axon-reflex reactions in affected and homologous contralateral skin after unilateral peripheral injury of thoracic segmental nerves in humans
R. Baron and M. Saguer (Germany) 97
Characterization by [^{3}H]resiniferatoxin binding of a human vanilloid (capsaicin) receptor in post-mortem spinal cord
A. Szallasi and C. Goso (Italy) 101
NADPH diaphorase (nitric oxide synthase) in the central nervous system of spiders (Arachnida: Araneida)
W. Meyer (Germany) 105
Glutamic acid decarboxylase immunoreactivity in some dorsal thalamic nuclei in *Crocodilia*
M.B. Pritz and M.E. Stritzel (USA) 109
Repeated administrations of (−)-deprenyl increase [^{3}H]MK801 binding in rat brain and antagonize the impairment of passive avoidance conditioning induced by *N*-methyl-D-aspartate receptor antagonists
O. Gandolfi, R. Dall'Olio, R. Rimondini, S. Bongrani and B. Valsecchi (Italy) 113
C-*fos* mRNA increases in the ground squirrel suprachiasmatic nucleus during arousal from hibernation
L. Bitting, E.L. Sutin, F.L. Watson, L.E. Leard, B.F. O'Hara, H.C. Heller and T.S. Kilduff (USA) 117
Primary culture of human leptomeningeal cells in serum-free medium
O. Motohashi, M. Suzuki, N. Yanai, K. Umezawa, N. Shida, R. Shirane and T. Yoshimoto (Japan) 122
Immunohistochemical evidence for sprouting of ventral root afferents after neonatal sciatic neurectomy in the rat
M.J. Park, K. Chung and J.M. Chung (USA) 125
Neurons derived from embryonal carcinoma (P19) cells express multiple $GABA_A$ receptor subunits and fully functional $GABA_A$ receptors
J.N. Reynolds, P.J. Ryan, A. Prasad and G.D. Paterno (Canada) 129
Caffeine-induced transmitter release is mediated via ryanodine-sensitive channel
T. Avidor, E. Clementi, L. Schwartz and D. Atlas (Israel, Italy) 133
Interaction between neuronal responses to nociception and hypertension in the nucleus reticularis gigantocellularis of the rat
H.-F. Tsai, T.B.J. Kuo, J.Y.H. Chan and S.H.H. Chan (Republic of China) 137
Streptozotocin-induced diabetes selectively reduces antinociception mediated by μ_1-opioid receptors, but not that mediated by μ_2-opioid receptors
J. Kamei, Y. Iwamoto, H. Hitosugi, M. Misawa, H. Nagase and Y. Kasuya (Japan) 141
Hemilabyrinthectomy causes both an increase and a decrease in corticotropin releasing factor mRNA in rat inferior olive
G.D. Kaufman, J.H. Anderson and A.J. Beitz (USA) 144
Interactions among deprenyl, clorgyline and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine on catecholamines in mice
E.H.Y. Lee, Y.L. Yang, L.G. Chia and J.S. Kuo (Taiwan) 149
Cultured neurons infected with an HSV-1-derived vector remain electrically excitable and responsive to neurotransmitter
R.H. Farkas, S. Nakajima and Y. Nakajima (USA) 153
Novel ω-conopeptides reduce field potential amplitudes in the rat hippocampal slice
J.A. Fox (USA) 157
Immunohistochemical demonstration of expression of tyrosine hydroxylase in cerebellar Purkinje cells of the human and mouse
T. Fujii, M. Sakai and I. Nagatsu (Japan) 161
Evidence that arcaine increases the *N*-methyl-D-aspartate-induced cardiovascular effects into the periaqueductal gray area of anesthetized rats
S. Maione, L. Berrino, A. Pizzirusso, J. Leyva, L. Stella and F. Rossi (Italy) 164
Effect of the flavoid phloretin on Ca^{2+}-activated K^+ channels in myelinated nerve fibres of *Xenopus laevis*
D.-S. Koh, G. Reid and W. Vogel (Germany, UK) 167
Developmental expression of the transcription factor *zif268* in rat brain
J. Herms, U. Zurmöhle, R. Schlingensiepen, W. Brysch and K.-H. Schlingensiepen (Germany) 171
Dephosphorylation of tau protein from Alzheimer's disease patients
K. Szücs, M.D. Ledesma, V. Dombrádi, P. Gergely, J. Avila and P. Friedrich (Hungary, Spain) 175
Glutamine synthetase immunoreactivity in the human hippocampus is lamina-specific
A. Derouiche and T.G. Ohm (Germany) 179
Distinct gene expression of the *N*-methyl-D-aspartate receptor channel subunit in peripheral neurons of the mouse sensory ganglia and adrenal gland
M. Watanabe, M. Mishina and Y. Inoue (Japan) 183
Tetrodotoxin blocks HIV coat protein (gp120) toxicity in primary neuronal cultures
A.G. Diop, M. Lesort, F. Esclaire, P. Sindou, P. Couratier and J. Hugon (France) 187
ω-Conotoxin GVIA inhibits the methylphenidate-induced but not methamphetamine-induced behavior
K. Yamada, T. Teraoka, S. Morita, T. Hasegawa and T. Nabeshima (Japan) 191
Frequency resolving power of the human's hearing
A.Y. Supin, V.V. Popov and O.N. Milekhina (Russia) 195
Involvement of $G_{o\alpha}$ subtype of guanine nucleotide-binding regulatory protein at the locus coeruleus in fentanyl-induced muscular rigidity in the rat
M.-J. Fu, T.C.Y. Lin, P.-W. Lui, T.-Y. Lee and S.H.H. Chan (Republic of China) 199

A colorimetric assay method for the evaluation of neurotrophic activity in vitro
Y. Ueda, E. Walsh, H. Nakanishi and K. Yoshida (Japan) 203
Tumor necrosis factor-α (TNF-α) increases both in the brain and in the cerebrospinal fluid from parkinsonian patients
M. Mogi, M. Harada, P. Riederer, H. Narabayashi, K. Fujita and T. Nagatsu (Japan, FRG) 208
Enhancement of NMDA toxicity and calcium responses by chronic exposure of cultured cortical neurons to ethanol
K. von B. Ahern, H.S. Lustig and D.A. Greenberg (USA) 211
Optical imaging of the in vitro guinea pig piriform cortex activity using a voltage-sensitive dye
M. Sugitani, T. Sugai, M. Tanifuji, K. Murase and N. Onoda (Japan) 215
Differential effects of repeated dl-pentazocine treatment on σ binding sites in discrete brain areas of the rat
Y. Shirayama, T. Nishikawa and K. Takahashi (Japan) 219
Abnormal development of retinogeniculate X axons in strabismic cats: a possible substrate for visual dysfunction
P.E. Garraghty, A.W. Roe, Y.M. Chino and M. Sur (USA) 223

Author index 227

Announcement 230

RG